



Nilfisk
cfm

Powerful vacuums. Proven solutions.



Euroclean

M70014 - GD930 Power Nozzle Kit

Assembly Instructions



Nilfisk-Advance America, Inc.

300 Technology Drive

Malvern, PA 19335

ph: 800-645-3475

fax: 610-647-6420

email: questions@nilfisk-advance.com

web: www.pa.nilfisk-advance.com



Nilfisk
cfm

Powerful vacuums. Proven solutions.



Euroclean



M70014 Power Nozzle Kit

Contents of kit should include:

- Motorized Power Head complete with power cord
- 6'6" grey PVC plastic hose assembly
- 2 chrome plated extension wands
- 4 rubber cord wraps



Nilfisk
cfm

Powerful vacuums. Proven solutions.



Euroclean

Assembly Instructions

Step 1 - Insert one of the extension wands into the base of the power head. Make sure the push button on the wand locks into the hole of the power nozzle (see Photo 1).

Step 2 - Twist the power cable to fit into the cable guides on the power nozzle as shown in Photo 1.



Photo 1

Step 3 - Insert the second extension wand into the first extension wand. Be sure to align the push button so that the wands lock together.

Step 4 - Each wand has a cord clip on the back. Press the power cord into the clip to secure it to the wand (see Photo 2).



Photo 2



Nilfisk
cfm

Powerful vacuums. Proven solutions.



Euroclean

Assembly Instructions (cont)

Step 5 - Insert the hose assembly into the extension wand as shown in Photo 3.



Photo 3

Step 6 - Using the rubber cord wraps, secure the power cord to the hose assembly as shown in Photo 3. For best results, lay the hose out in a straight line on the floor. Secure the cord in 4 evenly spaced locations along the length of the hose (see Photo 4).



Photo 4



Nilfisk
cfm

Powerful vacuums. Proven solutions.



Euroclean

Assembly

Instructions (cont)

Step 7 - Attach the hose to the inlet of the vacuum by twisting the hose coupling until it locks into place (see Photo 5).

Note: ***Keep fingers away from the turning brush of the power nozzle. Make sure the vacuum machine is unplugged from its power source before plugging the power nozzle into the vacuum's power outlet.***

Step 8 - Insert the plug of the power nozzle into the vacuum's power outlet (see Photo 6). The ON/OFF button for the power nozzle is located on the base of the nozzle.

The assembly is now complete.



Photo 5



Photo 6